

B1

an indicator for indicating an extraction of an information identification code;
an extraction unit for, when an extraction of an information identification code from the external device is indicated by said indicator, extracting an information identification code from information received from the external device;
a memory for storing the information identification code extracted by said extraction unit; and
a transmitter for transmitting the information identification code stored in said memory to the external device.

7. (Amended) The apparatus according to claim 6, wherein said transmitter comprises a transmission unit for transmitting data via at least one of a cable and radio waves.

Sub C1
B2

14. (Amended) A portable terminal apparatus comprising:
a display for displaying received information;
an indicator for indicating an extraction of an information identification code and indicating transmission of the information identification code to an external device;
an extraction unit for, when an extraction of an information identification code is indicated by said indicator, extracting an information identification code from the information displayed by said display;
a memory for storing the information identification code extracted by said extraction unit; and
a transmitter for, when transmission of an information identification code is indicated by said indicator, transmitting the information identification code stored in said

Sub C1
B2
memory to the external device.

B3
21. (Amended) A method of controlling a portable terminal apparatus for communicating with an external device, said method comprising:

an extraction indication step of indicating an extraction of an information identification code;

an extraction step of, when an extraction of an information identification code from the external device is indicated in said extraction indication step, extracting an information identification code from information received from the external device;

a storage step of storing the information identification code extracted in said extraction step; and

a transmission step of transmitting the information identification code stored in said storage step to the external device.

Sub C2
22. (Amended) A method of controlling a portable terminal apparatus, said method comprising:

a display step of displaying received information;

an extraction indication step of indicating an extraction of an information identification code and indicating transmission of the information identification code to an external device;

an extraction step of, when an extraction of an information identification code is indicated in said extraction indication step, extracting an information identification code from the information displayed in said display step;

SubC2
BB

a storage step of storing the information identification code extracted in said extraction step; and

a transmission step of, when transmission of an information identification code is indicated in said extraction indication step, transmitting the information identification code stored in said storage step to the external device.

23. (Amended) A computer-readable storage medium storing a program for implementing a method of controlling a portable terminal apparatus for communicating with an external device, the program comprising:

program code of an extraction indication step of indicating an extraction of an information identification code;

program code of an extraction step of, when an extraction of an information identification code from the external device is indicated in the extraction indication step, extracting an information identification code from information received from the external device;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of transmitting the information identification code stored in the storage step to the external device.

SubC3

24. (Amended) A computer-readable storage medium storing a program for implementing a method of controlling a portable terminal apparatus, the program comprising:

program code of a display step of displaying received information;

program code of an extraction indication step of indicating an extraction of an

SubC3
B3
information identification code and indicating transmission of the information identification code to an external device;

program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

B4
25. (New) A computer program product embodying a program for implementing a method of controlling a portable terminal apparatus for communicating with an external device, said program product comprising:

program code of an extraction indication step of indicating an extraction of an information identification code;

program code of an extraction step of, when an extraction of an information identification code from the external device is indicated in the extraction indication step, extracting an information identification code from information received from the external device;

program code of a storage step of storing the information identification code extracted in the extraction step; and

program code of a transmission step of transmitting the information identification code stored in the storage step to the external device.

*Sub 4
B4*

26. (New) A computer program product embodying a program for implementing a method of controlling a portable terminal apparatus, said program product comprising:

- program code of a display step of displaying received information;
- program code of an extraction indication step of indicating an extraction of an information identification code and indicating transmission of the information identification code to an external device;
- program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting an information identification code from the information displayed in the display step;
- program code of a storage step of storing the information identification code extracted in the extraction step; and
- program code of a transmission step of, when a transmission of an information identification code is indicated in the extraction indication step, transmitting the information identification code stored in the storage step to the external device.

27. (New) A computer data signal for controlling a portable terminal apparatus for communicating with an external device, said signal comprising:

- a data code signal of an extraction indication step of indicating an extraction of an information identification code;
- a data code signal of an extraction step of, when an extraction of an information identification code from the external device is indicated in the extraction indication step, extracting an information identification code from information received from the external device;
- a data code signal of a storage step of storing the information identification code